RICHARD WÖHR®

Data Sheet

Digital mobile TV cart DGW



Illustration contains optional accessories



Digital mobile TV cart DGW

The digital mobile TV cart of WÖHR is characterized to diverse possible applications: Whether in the production halls as a wearer for a service PC, as a mobile workplace in the industry or in the medical field for mobile use. A well-to-clean and disinfectable surface and optimized hygiene properties also meet the high requirements in the healthcare sector. The electrically height-adjustable work surface in conjunction with the infinitely height-adjustable and tiltable VESA holder also makes it possible to work ergonomically in any situation. Furthermore, the DGW has two power connections, which can be independently set to the required operating voltage. Rubberized wheels with brake function, a customized colour concept on request and the hot-swap, which can be replaced during operation, make the DGW the ideal everyday helper. A wide range of accessories and mounting options on the table top complete the mobile assistant.




Illustration contains optional accessories.

Article number: DGW01-0512-001 (example) Voltage2 (5, 12, 19 or 24V)

Dimensions: height top edge of tabel top: 746 mm – 1146 mm (29.3 – 45.11 inch)

height VESA bracket in middel position: 1133 mm – 1533 mm (44.6 – 60.4 inch)

Adjustment range VESA bracket: 200 mm (7.87 inch)

Infinitely height adjustable and tiltable

Weight: about 30kg (66.14 lb) (fully extended version)

Battery capacity: up to 1200 Wh/46,5 Ah (400Wh/15,5 Ah per accumulator)

Battery life: up to 18h (with a steady load from 60 Watt) **Output voltage1:** adjustable on 5 V/12 V/19 V/24 V (4A max.)

Output voltage2: adjustable on 5 V/12 V/19 V/24 V (4A max.) (optional special voltage)

Storage temperature: -15°C up to +60°C max. 90% Rh not condensing **Operating temperature:** 0°C up to +40°C max. 90% Rh not condensing



Base TV cart include: 3 x connection for battery

1x battery

2x battery blind cover (magnetically)

1x charging station

1x electrically height-adjustable

Optional accessories:



Additional battery (upgradable)

Art.No.: DGW-ZUB-AK001

Battery capacity: 400 Wh / 15,5 Ah

Nominal voltage: 25,9 V

Storage temperature: -15°C up to +60°C max. 90% Rh not condensing Operating temperature: 0°C up to +40°C max. 90% Rh not condensing Degree of protection: IP54 (with appropriate battery blind cover)

Hot Swep: battery is in ongoing operation exchangeable

Side panels: in different colours possible on request.

Standard black



Charging station

Art.No.: DGW-ZUB-TL001

Allows an easy and variable loading of an accumulator.




Single wall charging station

Art.No.: DGW-ZUB-WL001

Allows an easy and optimum loading process of the accumulator for a maximum lifetime and efficiency. Unobtrusively narrow and nevertheless extremely stable design with theft protection by lock function.

Quick and easy assemblage.





Triple wall charging station

Art.No.: DGW-ZUB-WL003

Allows the loading of up to three accumulators at the same time. Advantageously and extremely practicably if several digital mobile TV's are in use at the same time





Battery blind cover (magnetically)

Art.No.: DGW-ZUB-AD001

Protects open-recumbent connections with accumulator and charging-connector against rough dirt.



Shelf (on the table top)

Art.No.: DGW-ZUB-AO001

This shelf which is manufactured out of the same material as the table top is mounted on the table top and offers therefore more work place.





Document compartment / storage compartment

Art.No.: DGW-ZUB-AU001

Stable storage compartment under the table top. Serves for quick and safe filing of various documents/implements. Powder-coated RAL 9006 (White aluminum).







VESA-holder

Art.No.: DGW-ZUB-VESA001

VESA-holder/mount (VESA 75 / 100) for mounting monitors or screens.

Farther various outhouses can be realised by prepared mounting options under the table top.



Similar pictures, we reserve the right to make changes without prior notice at any time in the interest of technical progress.